

GP Batteries

PRODUCT SPECIFICATION

**GP Portable PowerBank
Model : GL343**

Revision History

Revision	Date	Initiator	Reason for Change
00	4 Sep 2012	KY Cheuk	New release

Prepared By	Approved By
KY Cheuk	Tom Tsang
Date: 4 September 2012	Date: 4 September 2012

GPI International Limited

Gold Peak Building, 8/F, 30 Kwai Wing Road,
Kwai Chung, New Territories, Hong Kong.
Tel: (852) 2484 3333 Fax: (852) 24805912
Email: gpi@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Batteries

Product Specification

Model no.: GL343



Micro USB Charging Cable
(Input / Output)


Product Name	:	GP Portable PowerBank GL343
Description	:	Back up power for USB powered electronic devices (e.g. iPhone 4S, iPad 2)
Battery Rating	:	Li-ion Polymer 3.7V 4000mAh 14.8Wh
Input	:	800mA / 5V DC
Output	:	1000mA / 5V DC
Application	:	Charge USB powered electronic devices
Recharging Time	:	6 hours (approx.)
Discharging Time	:	2.3 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	:	0°C to 40°C
Termination Methods	:	1) Over temperature protection 2) Over power protection 3) Over / under voltage protection 4) Short circuit protection

GP Batteries

Product Specification

Model no.: GL343


LED Indication : **Charging the Portable PowerBank :**



Discharging the Portable PowerBank :

Refer to the electronic device for charging status.

Press button to show battery status :



Dimensions : 109 (L) x 65.5 (W) x 11 (H) mm

Weight : 108g (approx.)

Approval : CE, FCC

Warranty Period : 12 months from ex-factory date