

# GP Batteries

## PRODUCT SPECIFICATION

**GP Portable PowerBank  
Model : GP322A**

### Revision History

Revision	Date	Initiator	Reason for Change
00	20 August 2012	KY Cheuk	New release

Prepared By	Approved By
KY Cheuk	Tom Tsang
Date: 20 August 2012	Date: 20 August 2012

### **GPI International Limited**

Gold Peak Building, 8/F, 30 Kwai Wing Road,  
Kwai Chung, New Territories, Hong Kong.  
Tel: (852) 2484 3333 Fax: (852) 24805912  
Email: [gpii@goldpeak.com](mailto:gpii@goldpeak.com)  
Website: <http://www.gpbatteries.com>

# GP Batteries

---

## Product Specification

Model no.: GP322A

---



Micro USB Charging Cable  
(Input / Output)

**Unit : mm**

---


Product Name	:	GP Portable PowerBank GP322A
Description	:	Back up power for USB powered electronic devices (e.g. iPhone 4S, iPad 2)
Battery Rating	:	Lithium polymer 3.7V 2500mAh 9.25Wh
Input	:	750mA / 5V DC
Output	:	1000mA max. / 5V DC
Application	:	Charge USB powered electronic devices
Recharging Time	:	4.5 hours (approx.)
Discharging Time	:	1.3 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	:	0°C to 40°C
Termination Methods	:	1) Over temperature protection 2) Over power protection 3) Over / under voltage protection 4) Short circuit protection

# GP Batteries

## Product Specification

Model no.: GP322A


LED Indication : **Charging the Portable PowerBank :**



**Discharging the Portable PowerBank :**

All LEDs are off. Refer to the electronic device for charging status.

**Press button to show battery status :**



Dimensions : 104 (L) x 55 (W) x 11 (H)mm

Weight : 76g (approx.)

Approval : CE, FCC

Warranty Period : 12 months from ex-factory date